

B2BCatalogLens

[b2bOpticLensCatalog](#)→[lenses](#)



code	
type	B2BCatalogCode
unity	
occurs	1..1
description	
oldCodes	
type	B2BCatalogOldCodes
unity	
occurs	0..-1
description	
names	
type	B2BCatalogNames
unity	
occurs	1..1
description	
combiLenses	
type	B2BCatalogCombiLenses
unity	
occurs	0..-1
description	
sorting	
type	xs:unsignedInt
unity	
occurs	0..-1
description	
valid	
type	B2BCatalogDatePeriod
unity	
occurs	0..-1
description	
focalGroupId	
type	xs:unsignedInt
unity	
occurs	1..1
description	
brand	
type	B2BCatalogBrands
unity	
occurs	0..-1

description	
materialPropertyId	
type	xs:unsignedInt
unity	
occurs	1..1
description	
balacingLens	
type	B2BCatalogBalacingLens
unity	
occurs	0..-1
description	
lenti	
type	xs:boolean
unity	
occurs	0..-1
description	
trafficRestrictions	
type	B2BCatalogTrafficRestrictionTypes
unity	
occurs	0..-1
description	
singleLensOrder	
type	B2BCatalogSingleLensOrder
unity	
occurs	0..-1
description	
topology	
type	B2BCatalogTopologies
unity	
occurs	1..1
description	
includedFeatures	
type	B2BCatalogIncludedFeatures
unity	
occurs	0..-1
description	
ranges	
type	B2BCatalogRanges
unity	
occurs	0..-1
description	
informationIds	
type	B2BCatalogInformationIds
unity	

occurs	0..-1
description	
baseCurvelDs	
type	B2BCatalogBaseCurvelDs
unity	
occurs	0..-1
description	
internal	
type	xs:anyType
unity	
occurs	0..-1
description	

```

<xs:complexType name="B2BCatalogLens">
  <xs:sequence>
    <xs:element name="code" type="B2BCatalogCode"/>
    <xs:element minOccurs="0" name="oldCodes" type="B2BCatalogOldCodes"/>
    <xs:element name="names" type="B2BCatalogNames"/>
    <xs:element minOccurs="0" name="combiLenses"
type="B2BCatalogCombiLenses"/>
    <xs:element minOccurs="0" name="sorting" type="xs:unsignedInt"/>
    <xs:element minOccurs="0" name="valid" type="B2BCatalogDatePeriod"/>
    <xs:element name="focalGroupId" type="xs:unsignedInt"/>
    <xs:element default="STANDARD" minOccurs="0" name="brand"
type="B2BCatalogBrands"/>
    <xs:element name="materialPropertyId" type="xs:unsignedInt"/>
    <xs:element default="false" minOccurs="0" name="balacingLens"
type="B2BCatalogBalacingLens"/>
    <xs:element default="false" minOccurs="0" name="lenti"
type="xs:boolean"/>
    <xs:element default="NONE" minOccurs="0" name="trafficRestrictions"
type="B2BCatalogTrafficRestrictionTypes"/>
    <xs:element default="YES" minOccurs="0" name="singleLensOrder"
type="B2BCatalogSingleLensOrder"/>
    <xs:element name="topology" type="B2BCatalogTopologies"/>
    <xs:element minOccurs="0" name="includedFeatures"
type="B2BCatalogIncludedFeatures"/>
    <xs:element minOccurs="0" name="ranges" type="B2BCatalogRanges"/>
    <xs:element minOccurs="0" name="informationIds"
type="B2BCatalogInformationIds"/>
    <xs:element minOccurs="0" name="baseCurveIds"
type="B2BCatalogBaseCurveIds"/>
    <xs:element minOccurs="0" name="internal" type="xs:anyType"/>
  </xs:sequence>
</xs:complexType>

```

From:
<https://wiki2.b2boptic.com/> - **wiki2.b2bOptic.com**

Permanent link:
<https://wiki2.b2boptic.com/en:b2bopticlenscatalog:version0.2.0:complextypes:b2bcataloglens>

Last update: **2016/08/24 19:41**

