


TBC

# item (Item)

b2bOpticJobData → items → item



|                    |                                        |
|--------------------|----------------------------------------|
| <b>remark</b>      |                                        |
| <b>type</b>        | string                                 |
| <b>occurs</b>      | 0..1                                   |
| <b>description</b> | comments of the customer to this order |

#### parties

|                    |                                                        |
|--------------------|--------------------------------------------------------|
| <b>type</b>        | <a href="#">Account</a>                                |
| <b>occurs</b>      | 0..n                                                   |
| <b>description</b> | overrides the defaults of <a href="#">orderParties</a> |

#### role (attribute of parties)

|                    |                       |
|--------------------|-----------------------|
| <b>type</b>        | <a href="#">Roles</a> |
| <b>use</b>         | required              |
| <b>description</b> |                       |

|                    |                        |
|--------------------|------------------------|
| <b>referenceNo</b> |                        |
| <b>type</b>        | string                 |
| <b>occurs</b>      | 1                      |
| <b>description</b> | job number by customer |

|                      |                                     |
|----------------------|-------------------------------------|
| <b>referenceText</b> |                                     |
| <b>type</b>          | string                              |
| <b>occurs</b>        | 0..1                                |
| <b>description</b>   | commission of the order by customer |

|                         |                                                                                                                               |
|-------------------------|-------------------------------------------------------------------------------------------------------------------------------|
| <b>referenceBarcode</b> |                                                                                                                               |
| <b>type</b>             | string                                                                                                                        |
| <b>occurs</b>           | 0..1                                                                                                                          |
| <b>description</b>      | data of a barcode that is a reference for this job; the barcode should be printed on the lens paper bag or delivery documents |

#### encoding (attribute of referenceBarcode)

|                    |                                 |
|--------------------|---------------------------------|
| <b>type</b>        | <a href="#">BarcodeEncoding</a> |
| <b>use</b>         | required                        |
| <b>description</b> | the encoding of the barcode     |

|                      |                                                     |
|----------------------|-----------------------------------------------------|
| <b>requestedDate</b> |                                                     |
| <b>type</b>          | date                                                |
| <b>occurs</b>        | 0..1                                                |
| <b>description</b>   | day when the order should be delivered, if possible |

|                     |                      |
|---------------------|----------------------|
| <b>manufacturer</b> |                      |
| <b>type</b>         | string               |
| <b>occurs</b>       | 1                    |
| <b>description</b>  | name of manufacturer |

|                    |                               |
|--------------------|-------------------------------|
| <b>pair</b>        |                               |
| <b>type</b>        | <a href="#">Pair</a>          |
| <b>occurs</b>      | 1                             |
| <b>description</b> | order lenses for end customer |

|                    |                           |
|--------------------|---------------------------|
| <b>stockLens</b>   |                           |
| <b>type</b>        | <a href="#">StockLens</a> |
| <b>occurs</b>      | 1                         |
| <b>description</b> | order lenses for stock    |

|                                                   |                                                                                                                   |
|---------------------------------------------------|-------------------------------------------------------------------------------------------------------------------|
| <b>options</b>                                    |                                                                                                                   |
| <b>occurs</b>                                     | 0..1                                                                                                              |
| <b>description</b>                                |                                                                                                                   |
| <b>insurance (element of options)</b>             |                                                                                                                   |
| <b>type</b>                                       | boolean                                                                                                           |
| <b>occurs</b>                                     | 0..1                                                                                                              |
| <b>default</b>                                    | false                                                                                                             |
| <b>description</b>                                | the lenses of pair or stockLens should be delivered with insurance                                                |
| <b>multiplePair</b>                               |                                                                                                                   |
| <b>occurs</b>                                     | 0..1                                                                                                              |
| <b>description</b>                                | the ordered lenses are related to another order, e.g. for discount                                                |
| <b>referenceNo (element of multiplePair)</b>      |                                                                                                                   |
| <b>type</b>                                       | string                                                                                                            |
| <b>occurs</b>                                     | 1                                                                                                                 |
| <b>description</b>                                | the referenceNo of the order that this are related to                                                             |
| <b>referenceCountNo (element of multiplePair)</b> |                                                                                                                   |
| <b>type</b>                                       | integer                                                                                                           |
| <b>occurs</b>                                     | 0..1                                                                                                              |
| <b>description</b>                                | a counter of related orders to the first one (1: first order; 2: first order that is related to the order with 1) |
| <b>deliveryNoteld (element of multiplePair)</b>   |                                                                                                                   |
| <b>type</b>                                       | string                                                                                                            |
| <b>occurs</b>                                     | 0..1                                                                                                              |
| <b>description</b>                                | the id of the deliverynote of the first order                                                                     |

```

<xs:complexType name="Item">
  <xs:sequence>
    <xs:element name="remark" type="xs:string" minOccurs="0"/>
    <xs:element name="parties" minOccurs="0" maxOccurs="unbounded">
      <xs:complexType>
        <xs:complexContent>
          <xs:extension base="Account">
            <xs:attribute name="role" type="Roles" use="required"/>
          </xs:extension>
        </xs:complexContent>
      </xs:complexType>
    </xs:element>
    <xs:element name="referenceNo" type="xs:string"/>
    <xs:element name="referenceText" type="xs:string" minOccurs="0"/>
    <xs:element name="referenceBarcode" minOccurs="0">
      <xs:complexType>
        <xs:simpleContent>
          <xs:extension base="xs:string">
            <xs:attribute name="encoding" type="BarcodeEncoding"
use="required"/>
          </xs:extension>
        </xs:simpleContent>
      </xs:complexType>
    </xs:element>
  </xs:sequence>
</xs:complexType>

```

```
</xs:element>
<xs:element name="requestedDate" type="xs:date" minOccurs="0"/>
<xs:element name="manufacturer" type="xs:string"/>
<xs:choice>
  <xs:element name="pair" type="Pair"/>
  <xs:element name="stockLens" type="StockLens"/>
</xs:choice>
<xs:element name="options" minOccurs="0">
  <xs:complexType>
    <xs:sequence>
      <xs:element name="insurance" type="xs:boolean" default="false"
minOccurs="0"/>
    </xs:sequence>
  </xs:complexType>
</xs:element>
<xs:element name="multiplePair" minOccurs="0">
  <xs:complexType>
    <xs:sequence>
      <xs:element name="referenceNo" type="xs:string"/>
      <xs:element name="referenceCountNo" type="xs:integer"
minOccurs="0"/>
      <xs:element name="deliveryNoteId" type="xs:string" minOccurs="0"/>
    </xs:sequence>
  </xs:complexType>
</xs:element>
</xs:sequence>
</xs:complexType>
```

From:  
<https://wiki2.b2boptic.com/> - **wiki2.b2bOptic.com**

Permanent link:  
<https://wiki2.b2boptic.com/en:jobdata:version010603:complextypes:item>

Last update: **2017/06/19 19:02**

