


pPoints (PPoint)

b2bOpticJobData → items → item → pair → frame → shape → explicit → points → pPoints



angle	
type	float
unity	degree
occurs	1
description	
dimension (attribute of angle)	
type	AngleDimension
use	optional
default	DEG
description	
radius	
type	float
unity	mm
occurs	1
description	
z	
type	float
unity	mm
occurs	0..1
description	

```
<xs:complexType name="PPoint">
  <xs:sequence>
    <xs:element name="angle">
      <xs:complexType>
        <xs:simpleContent>
          <xs:extension base="xs:float">
            <xs:attribute default="DEG" name="dimension"
type="AngleDimension" use="optional" />
          </xs:extension>
        </xs:simpleContent>
      </xs:complexType>
    </xs:element>
    <xs:element name="radius" type="xs:float" />
    <xs:element name="z" type="xs:float" />
  </xs:sequence>
</xs:complexType>
```

```
</xs:complexType>
</xs:element>
<xs:element name="radius" type="xs:float" />
<xs:element minOccurs="0" name="z" type="xs:float" />
</xs:sequence>
</xs:complexType>
```

From:
<https://wiki2.b2boptic.com/> - **wiki2.b2bOptic.com**

Permanent link:
<https://wiki2.b2boptic.com/en:jobdata:version010604:complextypes:ppoint:explicit>

Last update: **2020/05/15 11:17**

