


B2BCatalogOrderOptionRanges

b2bOpticLensCatalog



orderOptionRange	
type	B2BCatalogOrderOptionRange
occurs	1..∞
description	range of the specific orderOption
id (attribute of orderOptionRange)	
type	xs:unsignedInt
use	required
description	given id from B2BCatalogOrderOptionRangesIds
type (attribute of orderOptionRange)	
type	B2BCatalogOrderOptions
use	required
description	type
internalDescription (attribute of orderOptionRange)	
type	xs:string
use	optional
description	for internal use only, will not be displayed

```
<xs:complexType name="B2BCatalogOrderOptionRanges">
  <xs:sequence>
    <xs:element maxOccurs="unbounded" name="orderOptionRange">
      <xs:complexType>
        <xs:complexContent>
          <xs:extension base="B2BCatalogOrderOptionRange">
            <xs:attribute name="id" type="xs:unsignedInt" use="required"/>
            <xs:attribute name="type" type="B2BCatalogOrderOptions"
use="required"/>
            <xs:attribute name="internalDescription" type="xs:string"/>
          </xs:extension>
        </xs:complexContent>
      </xs:complexType>
    </xs:element>
  </xs:sequence>
</xs:complexType>
```

```
</xs:complexType>  
</xs:element>  
</xs:sequence>  
</xs:complexType>
```

From:
<https://wiki2.b2boptic.com/> - **wiki2.b2bOptic.com**

Permanent link:
<https://wiki2.b2boptic.com/en:lenscatalog:version070000:complextypes:b2bcatalogorderoptionranges>

Last update: **2017/07/11 13:44**

