


B2BCatalogCombinationTreelds

b2bOpticLensCatalog→lenses→lens→ranges→range



combinationTreeld	
type	xs:unsignedInt
occurs	1..∞
description	reference to a combinationtree via id
prio (attribute of combinationTreeld)	
type	xs:unsignedInt
use	optional
default	1
description	If several combinationTreeld are present, prio controls the sorting and thus the display order.\\sind mehrere combinationTreeld vorhanden, so regelt prio die Sortierung und damit die Anzeige Reihenfolge. NEEDREVIEW

```
<xs:complexType name="B2BCatalogCombinationTreeIds">
  <xs:sequence>
    <xs:element maxOccurs="unbounded" name="combinationTreeId">
      <xs:complexType>
        <xs:simpleContent>
          <xs:extension base="xs:unsignedInt">
            <xs:attribute default="1" name="prio" type="xs:unsignedInt"/>
          </xs:extension>
        </xs:simpleContent>
      </xs:complexType>
    </xs:element>
  </xs:sequence>
</xs:complexType>
```

From:
<https://wiki2.b2boptic.com/> - **wiki2.b2bOptic.com**

Permanent link:
<https://wiki2.b2boptic.com/en:lenscatalog:version070200:complextypes:b2bcatalogcombinationtreeids>

Last update: 2020/05/15 07:35