

XML-Structure

Root-Element: b2bOpticInfo

In the root-element the location of the XSD at schema.b2boptic.com is mandatory, so the receiver could identify the version of XML.

```
<b2bOpticInfo xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xsi:noNamespaceSchemaLocation="http://schema.b2boptic.com/b2boptic_lensinfo_1.0.0.xsd">
```

items	
type	sequence of item
occurs	1
description	main tag that include a list of status info items
item (element of items)	
type	B2BInfoItem
occurs	1..n
description	a status info for one order
experimental	
type	anyType
occurs	0..n
description	section for internal tests at development

```
<xs:element name="b2bOpticInfo">
  <xs:complexType>
    <xs:sequence>
      <xs:element name="items">
        <xs:complexType>
          <xs:sequence>
            <xs:element maxOccurs="unbounded" name="item"
type="B2BInfoItem" />
          </xs:sequence>
        </xs:complexType>
      </xs:element>
      <xs:element minOccurs="0" maxOccurs="unbounded" name="experimental"
type="xs:anyType" />
    </xs:sequence>
  </xs:complexType>
</xs:element>
```

From:

<https://wiki2.b2boptic.com/> - **wiki2.b2bOptic.com**

Permanent link:

<https://wiki2.b2boptic.com/en:lensinfo:version010000:structure>

Last update: **2014/01/03 15:24**

