


item (Item)

b2boptic → items → item



remark	
type	string
occurs	0..1
description	comments of the customer to this order

parties	
type	Account
occurs	0..n
description	overrides the defaults of orderParties

role (attribute of parties)	
type	Roles
use	required
description	

referenceNo	
type	string
occurs	1
description	job number by customer

referenceText	
type	string
occurs	0..1
description	commission of the order by customer

referenceBarcode	
type	string
occurs	0..1
description	data of a barcode that is a reference for this job; the barcode should be printed on the lens paper bag or delivery documents

encoding (attribute of referenceBarcode)	
type	BarcodeEncoding
use	required
description	the encoding of the barcode

requestedDate	
type	date
occurs	0..1
description	day when the order should be delivered, if possible

manufacturer	
type	string
occurs	1
description	name of manufacturer

pair	
type	Pair
occurs	1
description	order lenses for end customer

stockLens	
type	StockLens
occurs	1
description	order lenses for stock

options	
occurs	0..1
description	
insurance (element of options)	
type	boolean
occurs	0..1
default	false
description	the lenses of pair or stockLens should be delivered with insurance
multiplePair	
occurs	0..1
description	the ordered lenses are related to another order, e.g. for discount
referenceNo (element of multiplePair)	
type	string
occurs	1
description	the referenceNo of the order that this are related to
referenceCountNo (element of multiplePair)	
type	integer
occurs	0..1
description	a counter of related orders to the first one (1: first order; 2: first order that is related to the order with 1 (secondpair); 3: second order that is related to the order with 1 (thirdpair); ...)
deliveryNoteld (element of multiplePair)	
type	string
occurs	0..1
description	the id of the deliverynote of the first order

```

<xs:complexType name="Item">
  <xs:sequence>
    <xs:element name="remark" type="xs:string" minOccurs="0"/>
    <xs:element name="parties" minOccurs="0" maxOccurs="unbounded">
      <xs:complexType>
        <xs:complexContent>
          <xs:extension base="Account">
            <xs:attribute name="role" type="Roles" use="required"/>
          </xs:extension>
        </xs:complexContent>
      </xs:complexType>
    </xs:element>
    <xs:element name="referenceNo" type="xs:string"/>
    <xs:element name="referenceText" type="xs:string" minOccurs="0"/>
    <xs:element name="referenceBarcode" minOccurs="0">
      <xs:complexType>
        <xs:simpleContent>
          <xs:extension base="xs:string">
            <xs:attribute name="encoding" type="BarcodeEncoding"
use="required"/>
          </xs:extension>
        </xs:simpleContent>
      </xs:complexType>
    </xs:element>
  </xs:sequence>
</xs:complexType>

```

```
</xs:element>
<xs:element name="requestedDate" type="xs:date" minOccurs="0"/>
<xs:element name="manufacturer" type="xs:string"/>
<xs:choice>
  <xs:element name="pair" type="Pair"/>
  <xs:element name="stockLens" type="StockLens"/>
</xs:choice>
<xs:element name="options" minOccurs="0">
  <xs:complexType>
    <xs:sequence>
      <xs:element name="insurance" type="xs:boolean" default="false"
minOccurs="0"/>
    </xs:sequence>
  </xs:complexType>
</xs:element>
<xs:element name="multiplePair" minOccurs="0">
  <xs:complexType>
    <xs:sequence>
      <xs:element name="referenceNo" type="xs:string"/>
      <xs:element name="referenceCountNo" type="xs:integer"
minOccurs="0"/>
      <xs:element name="deliveryNoteId" type="xs:string" minOccurs="0"/>
    </xs:sequence>
  </xs:complexType>
</xs:element>
</xs:sequence>
</xs:complexType>
```

From:
<https://wiki2.b2boptic.com/> - **wiki2.b2bOptic.com**

Permanent link:
<https://wiki2.b2boptic.com/en:lensorder:version010603:complextypes:item>

Last update: **2017/10/30 13:57**

